THE CLIFDEN NONPAREIL (CATOCALA FRAXINI L.) AND OTHER IMMIGRANTS IN NORFOLK IN 1976. — Following a long hot summer, the weather in Norfolk finally broke on 28th August. Very strong east winds for two days preceded a torrential rainstorm. At M.V. light on the east Norfolk coast, on 28th/29th August, appeared a single fresh Catocala fraxini L. with a single Lithomoia solidaginis (Hübn.). There were also two Eurois occulta (L.), with further occulta before and after this date, numbering twelve in all. A further C. fraxini was photographed alive, and released, three miles away, by Dr. E. A. Ellis. There have also been numerous sightings (per E.A.E.) of Nymphalis antiopa L. throughout Norfolk at this time, and these records demonstrate a migration from northern Europe. — Dr. T. N. D. PEET, 78 Oakley Street, London, S.W.3.

FURTHER REPORTS OF MANX CAMBERWELL BEAUTIES IN 1976. — Between 12 noon and 1 p.m. on 22nd August, one was seen at Blue Point flying east (i.e. along the coast) by Mrs. S. Kelly. On 24th August, one was seen at the Garey (SC421949) by Mrs. and Master Collister. There was also a report by Mr. E. Hudson of an insect seen at Langness on the afternoon of 22nd August, conceivably that seen by Mrs. Solly on 20th and 21st, some four miles away at Ballasalla. — Dr. L. S. GARRAD, The Manx Museum, Douglas, Isle of Man.

THE CAMBERWELL BEAUTY IN CHESHIRE. — At 2.30 p.m. on 21st August, a hot sunny day, I was very excited to see a specimen of this magnificent species appear as if from nowhere and fly swiftly across our front garden, and being very interested in butterflies I immediately recognised it as a Camberwell Beauty, an insect I had never seen before and never really expected to. — PHILIP GROVES (age 12), 4 Holmwood Drive, Heswall, Wirral, Merseyside, 25.ix.76.

XANTHIA CITRAGO (L.) IN WEST ROSS (V.C. 105). — Recent papers (Ent. Rec., 81: 168-172 and 88: 1-11) indicate that Xanthia citrago is spreading in eastern and north-east Scotland. I have not seen any record for its occurrence in west Scotland. It is therefore of interest to record that I took a larva of this species feeding on planted lime alongside a Forestry Commission plantation near Plockton, West Ross, on 3rd June, 1976. A fine male duly emerged on 1st August, 1976. — Dr. NEVILLE L. BIRKETT, Kendal Wood, New Hutton, nr. Kendal.

TUDDENHAM, SUFFOLK — EAST OR WEST? A PLEA. — A number of records of insects have appeared in the entomological journals with the locality cited as "Tuddenham, Suffolk". It is not perhaps widely known that there are two places in Suffolk named Tuddenham. One is near the south-